

THE BEST GEOTHERMAL SOLUTION

THE EARTHLINKED RENEWABLE ENERGY SYSTEM



Prime Series Heat Pump

Overview

The Prime Series two-stage heat pump is our **most efficient geothermal system** to date. It is a perfect balance of power, efficiency, style and intelligence. Housed within an ultra-quiet, modern cabinet, the Prime Series provides complete comfort and efficiency with the highest reliability and connectivity available thanks to an intelligent control system and a self-diagnostic protection system. All Prime Series heat pumps include a **10-year parts** and 5-year labor allowance.

Why It's Better

- Delivers **100% of all heating and cooling needs** to your home, with no additional pumps or equipment.
- Compact design requires the **smallest yard space** for installation and can be installed in almost any location.
- Compatible with most forced air zoning systems and **intelligent thermostats**.
- Greatest range of **Energy Star qualified** forced air systems including traditional and small duct options.

How You Benefit

- Simplicity of design allows for a more efficient transfer of heat, which means **comfortable living space** year-round without the installation hassles from other geothermal products.
- Eligible for **special financing**, as well as local and state rebates and incentives.
- Because the EarthLinked system uses only one unit of electricity to move up to five units of cooling or heating from the stored solar energy in the earth to your home, you can **save up to 80% on heating and cooling bills**.

**PSD model features a factory installed hot water assist system.*



EARTHLINKED
TECHNOLOGIES

Peace of Mind


Your EarthLinked System is backed by over 30 years of experience, expertly trained installers, and an industry leading warranty.

PERFORMANCE AND SPECIFICATIONS

PRIME SERIES



Back

 ENERGY STAR Most Efficient 2017* www.energystar.gov		Heating		Cooling	
		Capacity BTUH	COP Coefficient of Performance	Capacity BTUH	EER Energy Efficiency Ratio
-025	Full Load	24,000	4.2	24,000	21
	Part Load	18,000	4.8	18,000	28
-030*	Full Load	30,000	4.2	30,000	21
	Part Load	23,000	4.8	23,000	27
-036	Full Load	36,000	4.2	36,000	21
	Part Load	28,000	4.7	28,000	27
-040	Full Load	40,000	4.1	40,000	20
	Part Load	31,000	4.7	31,000	27
-050	Full Load	50,000	4.2	50,000	21
	Part Load	40,000	4.5	40,000	25
-060	Full Load	60,000	3.7	60,000	17.5
	Part Load	49,000	4.1	49,000	20.5

EarthLinked Technologies, Inc.

4151 S. Pipkin Road
 Lakeland, Florida 33811 USA
earthlinked.com
 phone 863-701-0096



ETL LISTED
 CONFORMS TO
 UL STD 1995
 US CERTIFIED TO CAN/CSA
 STD C22.2 NO. 236-05



COMPLIES WITH
 IEC 60204-1
 IEC 60335-2-40
 IEC 61000-3-11



GEOEXCHANGE



LIT-532 March 2017

©2017 EarthLinked Technologies, Inc., 4151 S. Pipkin Road, Lakeland, Florida 33811, USA. EarthLinked Technologies continues to refine and develop new innovations in product research and development. EarthLinked Technologies holds the right to change all specifications and designs without notice, at any time.