

# THE BEST GEOTHERMAL SOLUTION

THE EARTHLINKED RENEWABLE ENERGY SYSTEM



## Classic Series Heat Pump

### Overview

The Classic Series heat pump builds on a legacy of **high-performance geothermal technology** that EarthLinked Technologies pioneered over three decades ago. Our time-proven standard of excellence is designed to provide the **highest level of heating and cooling power** of any geothermal system currently on the market. This ensures the year-round comfort you expect and the economic and environmental benefits that only EarthLinked Technologies can deliver. All Classic Series heat pumps include a **5-year parts** and 5-year labor allowance.

### Why It's Better

- Delivers **100% of all heating and cooling needs** to your home, with no additional pumps or equipment.
- Compact design requires the **smallest yard space** for installation and can be installed in almost any location.
- Can **heat domestic water** or keep a pool warm, while providing comfort to your home, all for the same cost.
- Compatible with EarthLinked air handlers, radiant floor, or small duct air distribution systems for maximum **installation versatility**.

### How You Benefit

- Simplicity of design allows for a more efficient transfer of heat, which means **comfortable living space** year-round.
- Eligible for **special financing**, as well as rebates and other local and state incentives.
- Because the EarthLinked system uses only one unit of electricity to move up to five units of cooling or heating from the stored solar energy in the earth to your home, you can **save up to 80% on heating and cooling bills**.

*\*SD model features a factory installed hot water assist system.*



EARTHLINKED  
TECHNOLOGIES


## Peace of Mind

Your EarthLinked System is backed by over 30 years of experience, expertly trained installers, and an industry leading warranty.

# PERFORMANCE AND SPECIFICATIONS

## CLASSIC SERIES



 <b>Model #</b>	Heating		Cooling	
	Capacity BTUH	COP Coefficient of Performance	Capacity BTUH	EER Energy Efficiency Ratio
<b>-024</b>	24,064	3.6	30,174	17.1
<b>-030</b>	30,012	3.6	37,130	17.1
<b>-036</b>	36,002	3.6	47,282	17.1
<b>-042</b>	42,112	3.6	53,016	17.1
<b>-048</b>	48,880	3.6	64,202	17.1
<b>-060</b>	57,810	3.6	67,022	17.1

### EarthLinked Technologies, Inc.

4151 S. Pipkin Road  
Lakeland, Florida 33811 USA  
earthlinked.com  
phone 863-701-0096



ETL LISTED  
CONFORMS TO  
UL STD 1995  
US CERTIFIED TO CAN/CSA  
STD C22.2 NO. 236-05



COMPLIES WITH  
IEC 60204-1  
IEC 60335-2-40  
IEC 61000-3-11



GEOEXCHANGE



LIT-530 March 2017

©2017 EarthLinked Technologies, Inc., 4151 S. Pipkin Road, Lakeland, Florida 33811, USA. EarthLinked Technologies continues to refine and develop new innovations in product research and development. EarthLinked Technologies holds the right to change all specifications and designs without notice, at any time.